






FIG. 2










RECEIVED

AUG 15 2003

TECH CENTER 1600/2900

FIG. 3



-  kanamycin resistance
-  pET22b-derived sequences
-  transposon terminal repeats
-  pGPS1 sequences




AUG 15 2003

TECH CENTER 1600/2900


FIG. 4

In vitro transposition with pTRANS-SacB (donor)
and pBeloBACII (recipient)



Library BAC plasmid (single copy #) + pTRANS-SacB (moderate copy #) + transposase
sucrose-R kan-S chlor-R
sucrose-S kan-R chlor-S

Transposase
reaction



Transform DH10B or
DH10B(DE3) cells

select for Kan-R, chlor-R, sucrose-R transformants (on LB or specific assay medium)
Should be moderate copy # plasmids containing random transposon insertions

Replacement Sheet


RECEIVED

AUG 15 2003

TECH CENTER 1600/2900

FIG. 5

Amplification of lipase expression from a BAC clone
by increasing copy number with pTRANS-SacB



Replacement Sheet

RECEIVED

AUG 15 2003

TECH CENTER 1600/2800

FIG. 6





FIG. 7



RECEIVED

AUG 15 2003

TECH CENTER 1600/2900




RECEIVED

AUG 15 2003

TECH CENTER 1600/2900

FIG. 8A



RECEIVED
AUG 15 2003
TECH CENTER 1600/2900

FIG. 8B






FIG. 9

